



Collaborative Landscape of Software Development: RTC Code Editor

Ms. Aditi Dhawan¹, Ms. Anushka Singh², Mr. Chetan Gupta³, Mr. Paras Goel⁴, Ms. Satwik Teotia⁵

^{1,2,3,4}UG - Computer Science, ABES Engineering College, Ghaziabad, Uttar Pradesh, India.

⁵Assistant Professor, Computer Science, ABES Engineering College, Ghaziabad, Uttar Pradesh, India.

Emails: Aditi.20B0121023@abes.ac.in¹, Anushka.20B0121180@abes.ac.in²,
Chetan.20B0121184@abes.ac.in³, Paras.20B0121211@abes.ac.in⁴, satwik.teotia@abes.ac.in⁵

Article history

Received: 22 April 2024

Accepted: 17 May 2024

Published: 28 May 2024

Keywords:

RTC Code Editor,
WEBRTC, IDE,
Collaborative RTC,
React Js, Node Js,
Socket.io, Web
Application

Abstract

In response to the need for collaborative coding environments in the web-based platform era, this study suggests a real-time code editing application utilizing web socket technology. The programme creates virtual rooms and shared workplaces to facilitate developer cooperation. Combining group chat, pair programming, and newer technologies like React.js, Node.js, and WebRTC, it enables debugging, syntax highlighting, and real-time collaboration across a variety of programming languages. By making coding simpler and more cooperative for developers of all skill levels, RTC Code Editor seeks to democratize the language.

1. Introduction

A cutting-edge program called RTC Code Editor is revolutionizing the field of collaborative coding. It signals the beginning of a new age in programmer collaboration by seamlessly fusing pair programming with group chat. This cutting-edge technology encourages a positive fusion of coding and communication by providing developers with a rare opportunity to engage in real-time coding in a conversational setting. Developers collaborate on code, discuss mistakes, and plan their future moves in a shared chat, which makes for a lively and interesting work environment. Modern features included in the software include sockets, Node.js, React.js, and Express.js, WebRTC, Chakra UI, Redux, Code Mirror, and Tailwind, an RTC code editor that facilitates simple real-time collaboration. Simultaneous code viewing and editing, screen sharing, and smooth chat communication are all possible for developers. Developers may access and contribute to the same code base from multiple places thanks to the platform's unified workspace.

This covers variations across team members who are geographically, temporally, or even nationally distant. The debugging tools, error highlighting, and syntax highlighting are among of the main features of RTC Code Editor. Numerous programming languages, including C, C++, Java, Python, Ruby, and more, are supported by this adaptable tool. The main objective of RTC Code Editor is to democratize coding by increasing accessibility and collaboration for programmers of all experience levels.

1.1 Technologies

1.1.1 WebRTC (Web Real-Time Communication)

WebRTC is an open-source, free initiative that makes it possible to conduct real-time internet communication (RTC). In addition, it offers browser and mobile application APIs that eliminate the need for plug-ins or other third-party applications to enable communication, including the sharing of data, audio, and video.

1.1.2 Sockets

The endpoints of a network communication channel are referred to as sockets. Socket connections are used in software to create connections and transfer data across a network between various apps or devices. In web development, interfaces are frequently used to add features like chat programs, multiplayer games, and real-time notifications.

1.1.3 Node.js

A JavaScript runtime environment is Node.js. JavaScript code is accessible outside of browsers, enabling developers to use it to create server-side apps. The block-based, event-driven design of Node.js is well renowned for enabling extremely scalable and effective server-side programming.

1.1.4 Redux

Redux is a JavaScript application state container that is predictable and frequently used with React.js. It unifies state management and facilitates unidirectional data flow for easier debugging of complex online applications.

1.1.5 Code Mirror

A web-based text editor for editing code in web applications is called Code Mirror. For building code editors and integrated development environments (IDEs) in the browser, it provides syntax highlighting, autocompletion, line numbering, and code folding.

1.1.6 React.js

Facebook has a JavaScript package called React.js that is used to create user interfaces. For declarative component-based development, it leverages JSX and is perfect for SPAs, PWAs, and React Native mobile apps.

1.1.7 Express

Express is a Node.js web framework that is lightweight and ideal for developing servers and APIs. With seamless communication and real-time synchronization, our Real-Time Code Editor transforms collaborative development with technologies like WebRTC, sockets, Node.js, Redux, Code Mirror, and React.js. Pie-Chart is shown in Figure 1.




Figure 1 Pie-Chart

2. Literature Review

1. B. Kakade et al.[1] developed Code Collab, using technologies like React and Node, to enable developers to collaborate on code in real-time regardless of location. The application breaks traditional boundaries by creating virtual workspaces for global collaboration, with features like syntax highlighting and version control. The authors explore the trends, advantages, and future prospects of coding and collaborative applications, demonstrating the transformative potential of real-time tools in computer development.
2. R. Pathak et al. [2] introduced V-Code, an advanced application for remote coding using technologies such as Nuxt.js and Python Flask. V-Code incorporates OpenAI machine learning engines for code compilation and error detection, offering a comprehensive solution for team collaboration and workflow optimization. V-Code is at the forefront of online code editing tools, providing a powerful platform for collaborative coding activities on distributed computers.

3. With a novel, multi-user code editing program, Kumar et al. [3] aimed to revolutionize the code editing experience. After conducting a thorough investigation and testing, we created an algorithm known as CDRT that, in a collaborative coding environment, facilitates quick updates and significant feature improvements. Enhance the group coding process. The advantages of dual programming and document editing capabilities were emphasized by Kumar et al.
4. In a similar vein, Kurniawan et al. [4] published CodeR, an online tool intended to encourage developer cooperation. CodeR is becoming a more useful tool for project management and team collaboration since it supports a variety of programming languages and has features like chat rooms, collaboration areas, and coding. Over time, the function of cooperation is being redefined by CodeR's future view. It is distinguished by strength., offering developers an easy-to-use platform for teamwork and coding. Benefits of Technologies are shown in Table 1.
5. Goldman et al.[5] studied the complexities of cooperative systems, highlighting the challenges and opportunities in collaborative project settings. They stressed the importance of customized solutions for developers to enhance cooperation efficiency based on their extensive research and industry experience. Their work defined the unique roles of cooperative developers and proposed solutions for improving real-time hardware developments.
6. Pandita et al. [6] offers an online platform for code compilation and testing and is a novel approach to managing code across apps. We've developed an online workspace that streamlines developers' development processes using tools like Firebase and React.js.
7. Imine et al. [7], using their novel tool, a Real-time Collaborative Editor (RCE), addressed the difficulties of simultaneous editing of shared documents. They open the door for efficient real-time cooperation in collaborative editing environments by presenting a novel coordination model that tackles scaling and decentralization challenges.

Table 1 Benefits of Technologies

S N o	Tools	Technology Used	Benefits	About	Reference
1	Code Collab	React, Node, and Socket.io	real-time editing, code formatting, syntax highlighting, code versioning, and error highlighting	enables developers to collaborate on code in real-time	[1]
2	V-Code	Node.js, Flask, Python and Express	real-time collaboration, error correction suggestions, support multiple programming languages	It is a web-based application that is mostly used as a collaborative editor, compiler, and execution environment for some programming languages.	[2]
3	Multi User Code Editor	React.js, Node.js, Express and socket.io	version control, debugging tools, syntax highlighting, code completion and integrating with other development tools	It enables real-time collaboration for the developers so they can view and edit code in real-time and also share their screens	[3]
4	CodeR: Real-time Code Editor Application for Collaborative Programming	Web Socket	Instant feedback on code execution, shared projects, chat capability, flexible language support (C, C++, Java), and effective project management are all features of real-time collaboration.	Web application for real-time collaboration that gives programmers access to chat, code execution, and shared workspaces.	[4]

So, we can conclude that by reviewing all the papers that there are many applications that are already existing as a real time code editor but there is no such application in which all the specifications like Programmers can do coding in real time workplace with the chat specification and many other.

3. Methodology

3.1 User Interaction Flow



Figure 2 Interaction Flow

Once the project requirements have been carefully reviewed, the next step involves carefully choosing the state-of-the-art technologies to add to the core infrastructure of the Collaborative Coding Initiative's real-time code editor. This methodical approach purposefully emphasizes the use of key tools to improve different parts of the system. Strategic WebRTC integration guarantees a stable and strong base for safe peer-to-peer communication. Because sockets are designed to allow for real-time data interchange, they create a smooth interface for communication between the web-based user interface and the server, which improves collaborative coding experiences. Node.js is also an engine for asynchronous and scalable server-side processes, acting as an interface helper. This event-driven platform's intrinsic capacity to expertly oversee many concurrent user activities offers a strong basis for the dynamic, real-time cooperation that the project envisions. Redux's integration is a purposeful and calculated move to synchronize an effective state management system that ensures smooth editing collaboration. In

addition to ensuring a consistent and stable code base, a collaborative coding environment improves accuracy and reliability. To edit code online, you need to install Mirror Code. Code Mirror is well known for its feature set and adaptability. At the same time, the combination of React and js, a JavaScript package designed for creating user interfaces, focuses on creating highly dynamic user interfaces, especially for single-page applications. Finally, Express, selected as a lightweight web application framework in addition to Node.js, demonstrates its adaptability and scope of functionality, adding another level of efficiency to our projects. Interaction Flow is shown in Figure 2.

3.2 Code Synchronization Flow




Figure 3 Code Synchronization Flow

System design (Figure 3) is a necessary component of a strong architecture before WebRTC, frameworks, Node.js, Redux, Code Mirror, and React.js can be integrated correctly. Extensibility and configurability are given top priority in the design to allow for future enhancements and adjustments. The application's next step is to use Node.js and Express to develop a server-side application. Code Mirror is used for the code editing interface on the client side, while React.js is used for the dynamic user interface. Peer-to-peer communication is made safe and effective with WebRTC integration, while Redux facilitates effective state management for synchronization in collaborative editing capabilities.

4. Result




Figure 4 RTC Code Editor-Results

After implementing our project 'RTC CODE EDITOR' the result of it can be multifaceted and can vary depending on the specific goals and objectives of the project such as: -

- It enhances collaboration among developers and improves the code quality and also enable instant feedback and reducing the likelihood of bugs. It also results in increasing the efficiency as we provide seamless and integrated environment for code editing, executing and compiling. It makes a coding environment for the coders that also helps them in their skill development as they will learn and observe from their peer's coding practices in real time.
- These results collectively demonstrate the tangible benefits and value that such a tool can bring to organizations, teams, and individual developers alike.

Conclusion

Developer collaboration has been transformed worldwide by real-time code editors and collaborative coding applications. It makes it possible for teams to collaborate beyond geographical boundaries, encouraging remote work, ongoing learning, and innovation. The platform makes benchmarking more dynamic, which improves the development process. Facilitating real-time collaboration amongst numerous developers on a same codebase is the primary goal. Partners stress important elements including integrating information technologies,

coordinating updates, and enhancing code quality. The objective is to offer a cohesive setting where distant teams may interact efficiently, speeding up development, and improving teamwork. With the advent of these technologies, collaborative coding enters a new era that fosters a more connected and effective development environment.

References

- [1].Mr. Revannath B Kakade, Mr. Abhinay D .Ambure, Mr Krishna B Aher, Mr. Jairam C Rathod , Mr. Vinayak DharmvirSangvikar
<https://www.eurchembull.com/uploads/paper/6875f461f4b9a734d6bc6a46d9314.pdf>
- [2].Prof. Poonam R. Pathak, 2Tejas V. Magade, 3Avishkar A. Vichare , 4Shreyas I. Repale
<https://www.ijrti.org/papers/IJRTI2304164.pdf>
- [3].T. Harshith Kumar, S. Advait Sai, S. Samuel Anurag, G. Kalyan Reddy, Mr. Mohammed Zaheer Ahmed
<https://www.jetir.org/papers/JETIR2303825.pdf>.
- [4].Aditya Kurniawan, Christine Soesanto, Joe Erik Carla Wijaya
https://www.researchgate.net/publication/283161500_CodeR_Realtime_Code_Edit_or_Application_for_Collaborative_Programming
- [5].Max Goldman
<https://dl.acm.org/doi/10.1145/2046396.2>

046410

- [6]. Sahil Pandita¹, Aswanth Surendran²,
Rishiraj Thadeshwar³, Ashish Nahak⁴,
Prof. Ujwala Gaikwad⁵”
<https://www.irjet.net/archives/V8/i5/IRJET-V8I5440.pdf>”
- [7]. Abdessamad Imine”
https://link.springer.com/chapter/10.1007/978-3-642-02053-7_12”
- [8]. M Roseman, S Greenberg”
https://scholar.google.com/scholar?start=10&q=real+time+code+editor+research+papers&hl=en&as_sdt=0,5#d=gs_qabs&t=1695114945117&u=%23p%3D8y8ybQ3GSQQJ”
- [9]. Janne Lautamäki, Antti Nieminen, Johannes Koskinen, Timo Aho, Tommi Mikkonen, Marc Englund
<https://dl.acm.org/doi/abs/10.1145/2145204.2145399>